

Princeton/DeLuxe Bias Loads

Secondary	225Vrms	250Vrms	275Vrms	300Vrms	325Vrms	350Vrms	375Vrms
Load	Bias	Bias	Bias	Bias	Bias	Bias	Bias
7.5K ohms	-7.6V	-8.5	-9.4	-10.3	-11.1	-12.0	-12.9
10K	-10.1	-11.2	-12.4	-13.6	-14.7	-15.9	-17.1
12K	-12.0	-13.3	-14.7	-16.3	-17.5	-18.8	-20.3
15K	-14.8	-16.5	-18.2	-20.0	-21.6	-23.2	-25.1
18K	-17.2	-19.1	-21.0	-23.2	-25.1	-26.9	-29.1
22K	-21.1	-23.4	-25.8	-28.4	-30.6	-32.9	-35.6
27K	-25.2	-27.9	-30.8	-33.9	-36.6	-39.3	-42.4
33K	-30.1	-33.3	-36.7	-40.5	-43.6	-46.8	-50.4
47K	-40.3	-44.6	-49.0	-54.2	-58.3	-62.5	-67.4
56K	-46.4	-51.5	-56.6	-62.3	-67.0	-72.1	-77.5
68K	-53.4	-59.3	-65.2	-71.7	-77.2	-83.2	-89.3