


REVISIONS		
ZONE	REV. DESCRIPTION	DATE
A	PR#239	7-2-53
B	LO2732	11-4-53

ZONE	REV. DESCRIPTION	DATE	APPROVED
A	PR#239	7-2-53	WD
B	LO2732	11-4-53	BD



NOTES: UNLESS OTHERWISE SPECIFIED  
 1. V1, P1-10 ARE GENERAL PURPOSE CARBON FILM.  
 2. ALL RESISTANCE VALUES ARE PART NUMBERS.  
 3. FUSE IS 20 AMP FAST-ACTING IN 160-180V MODELS, 15A IN 220-240V MODELS.  
 4. U.L. LISTED 888888, C.S.A. LISTED 32280.  
 5. C98 AND S2 INSTALLED IN 120V UNITS ONLY.  
 6. C98 NOT INSTALLED IN 120V UNITS.  
 7. ALL VOLTAGES MEASURED WITH RESPECT TO GROUND USING A D.C. VOLTMETER OR V.A.C. TEST INSTRUMENTS UNDER NORMAL OPERATING CONDITIONS.  
 8. STAND-BY SWITCH IS ON THE 6BE6.  
 9. REVERB AND VIBRATO SWITCHES OFF WITH FOOTSWITCH.  
 10. ALL OTHER PANEL CONTROLS AT 20% ROTATION.  
 11. BIRD'S EYE VIEW OF SOCKET AND PIN NO. INPUT STRIP.  
 12. THESE VALUES MEASURED WITH AN OSCILLOSCOPE, WITH NO TUBE IN PLACE.  
 13. TUBE IN PLACE MEASURED WITH A 1MΩ SINEWAVE INPUT TO NORMAL CHANNEL ONLY.  
 14. ALL SINEWAVE INPUT TO VIBRATO CHANNEL ONLY.  
 15. AC VOLTAGES AT TP31 & TP32 MEASURED WITH AN OSCILLOSCOPE USING A X10 PROBE.  
 16. LAST INSTANCES: C98 CP2 CP1 F1 J8 L1 LA1 CP1 P26 R71 S9 SP2 T3 TH1 TP28 VS XF1 X18

PROPRIETARY		
ALL RIGHTS RESERVED	NO PART OF THIS PUBLICATION	BE LOANED, REPRODUCED, COPIED, OR
FOR ANY PURPOSES WITHOUT THE	WRITTEN PERMISSION OF	MUSICAL INSTRUMENTS
ST. LOUIS, MISSOURI	U.S.A.	

DATE	BY	REVISION
11-4-53	DESI	041285

REVERB AND VIBRATO SWITCHES OFF WITH FOOTSWITCH.  
 ALL OTHER PANEL CONTROLS AT 20% ROTATION.  
 BIRD'S EYE VIEW OF SOCKET AND PIN NO. INPUT STRIP.  
 THESE VALUES MEASURED WITH AN OSCILLOSCOPE, WITH NO TUBE IN PLACE.  
 TUBE IN PLACE MEASURED WITH A 1MΩ SINEWAVE INPUT TO NORMAL CHANNEL ONLY.  
 ALL SINEWAVE INPUT TO VIBRATO CHANNEL ONLY.  
 AC VOLTAGES AT TP31 & TP32 MEASURED WITH AN OSCILLOSCOPE USING A X10 PROBE.  
 LAST INSTANCES: C98 CP2 CP1 F1 J8 L1 LA1 CP1 P26 R71 S9 SP2 T3 TH1 TP28 VS XF1 X18