

Part CHECK FOR ERRORS & compare with schematic !!	quantity = 1 unless listed otherwise	Source H= Hoffman O= other	Estimated Cost per unit @ check for accurate price/s
PT 18W		H	\$80
OT 18W		H	60
Blank chassis	17.5" x 8" x 2.5"	turretboards.com	40
Choke 3H 125C3A		H	18
Hoffman turret board 12"		H	N/A 14 ?
65 turrets (lugs)		H	.15@
Shorting jacks switchcraft 12A	3	H	2.60
speaker jack switchcraft		H	
Pot 1M CTS	5	H	3.15
Pots 250k CTS	1	H	3.15
pot 25kl		H	1.00
Dual gang pots 250k		O	?
Filter cap 40uf/500v Illinois	1	H	6.50
Filter cap 22uf/500v Illinois	2	H	3.50
Filter cap 16uf/450	1	O	
Filter cap 10uf/450 Sprague	1	O	4.50
Filter cap 8uf/100v		H	1.50 + .75
solid state rectifier plug		H	12
9 pin ceramic sockets	5	H	1.80
8 pin ceramic sockets	1	H	1.50
250p Silver mica	1	H	1.00
500p Silver mica	1	H	1.00
.001 Mallory	1	H	1.00

.0047	Mallory	2	H	1.00
.01	Mallory	3	H	1.00
.02	Mallory	3	H	1.00
.047	Mallory	1	H	1.08
.1	Xicon	2	H	.75
2.2uf		1	H	.75
4.7uf				
100 ohm 2w		2	H	.50
1k/3w			H	.50
5k/3w		2	H	.50
10k/3w		2	H	.50
150 ohm/10w			O	?
100 ohm		2	H	.20
180 ohm used with LED light				.20
470 ohm		2	H	.20
1.2k		2	O	?
1.5k			H	.20
8.2k		2	H	.20
33k			H	.20
39k				
56k		2	H	.20
100k		3	H	.20
220k			H	.20
470k		3	H	.20
1M		4	H	.20
2.2M		2	H	.20
Use relay switching or DPDT				
DPDT mini-toggle		2	H	6.10

Wire red,white, green,black 20 gauge 6 ft of each		H	@ .30/ft
Wire green, white (heaters) 6 ft		H	@ .35/ft
Wire braided shielded 6ft		H	@ .75/ft
AC receptacle and fuse holder		H	4.00
Stand offs turret board ½" or your choice of height	6	H	.45
Knobs chicken head	7	H	1.50
terminal strips (4open1gnd) 5 tag	2	H	1.16
Carling on/off toggle switch	2	H	4.50
LED on/off light		H	2.00