



CAUTION:  
THIS SCHEMATIC IS PROVIDED FOR USE BY QUALIFIED PERSONNEL.  
TO AVOID RISK OF ELECTRIC SHOCK, REFER SERVICING TO QUALIFIED  
SERVICE PERSONNEL. DO NOT PERFORM ANY SERVICING BEYOND  
THAT EXPLAINED IN THE OPERATING INSTRUCTIONS.

- NOTES
- 1) CAUTION: SHOCK HAZARD!!  
THIS UNIT CONTAINS HAZARDOUS VOLTAGE. DISCONNECT POWER  
AND BE SURE POWER SUPPLY IS DISCHARGED BEFORE  
TOUCHING INTERNAL PARTS.
  - 2) UNLESS NOTED, RESISTOR VALUES IN OHMS, 1/4W-5% TOL.  
CAPACITOR VALUES IN MICROFARADS, 50V-10% TOL.
  - 3) VOLTAGES ARE MEASURED WITH 1 MEGOHM OSCILLOSCOPE  
AND 10 MEGOHM DIGITAL VOLTMETER.
  - 4) VOLTAGES IN RECTANGLES ARE RMS SIGNAL VOLTAGES WITH 15mV IN.  
OTHER VOLTAGES ARE D.C. IN CONDITIONS STATED.
  - 5) CIRCUIT GROUND ⊕ LED GROUND ⊕ CHASSIS GROUND ⚡

3				
2				
1	06/18/94	LMA		REV CHG TO REFLECT JUMPER CHG PER E150
REV	DATE	BY	CHK'D	DESCRIPTION
				SIGNATURES: _____ DATE: _____
				DRAWN: REM 11/17/93
				CHK'D: GM 11/17/93
				APP'D: GM 11/17/93
				ORIGINAL ISSUED: 11/17/93
				PLOT DATE: 05/18/94
				PLOT TIME: 09:56:06
				FILE NAME: 51911412
				SCALE: ~ SHEET: 1 OF 1

PROJECT NAME: SVT-CL  
DRAWING NAME: PREAMP SCHEMATIC  
DRAWING NO. 07SS19-11  
REV. 1

DESIGNED BY: YBBO BORMAN DL  
ST. LOUIS, MISSOURI  
63148