



- 1. 5V Relay PSU, Hammond 1760J OT, Hammond 290MX PT, IEC Receptacle
 - 0.5A fuse and holder, 1A Fuse and Holder, ELL1, ELL1, Impedance Switch
 - Blank Board
 - Boost SW jack, Ext Speaker jack, HI jack, Int Speaker jack, LO jack, Overdrive SW jack
 - C1, C2
 - C3, C4
 - C5
 - C6, C8, C9, C12, C13, C14
 - C7, C10
 - C8
 - C11
 - C12
 - C16
 - C17, C18
 - C19, C20
 - C21, C22
 - C23, C24
 - D1, D1
 - Eyelet
 - R1, R2
 - R3
 - R4, R5, R6, R16, R17, R19, R20
 - R8, R12, R23
 - R7, R18, R25
 - R8, R11, R13, R14, R21, R22, R27, R28
 - R10
 - R20, R24, R26
 - R29, R30, R31, R32
 - R33, R34
 - R35, R36
 - R37, R39
 - R38
 - R40
 - R41
 - SW1, SW2
 - SW3 - Raw, SW6 - Standby, SW7 - Power DPST, SW7 - Power DPST
 - SW4 - NFB Switch
 - TS1, TS2, TS3, TS5
 - V1, V1, V1, V1, V1, V1, V1, V1, V9
 - VR1 - Gain, VR3 - Drive, VR7 - Master Volume
 - VR2 - Saturation
 - VR4 - Treble
 - VR5 - Mid
 - VR6 - Bass
- qty 6
 - qty 5
 - qty 1
 - qty 6
 - 50uF 25V
 - 0.0047uF 400V
 - 0.01uF 630V
 - 0.022uF 400V
 - 500uF 400V
 - 1uF 25V
 - 470uF 400V
 - 47uF 400V
 - 0.01uF 400V
 - 0.047uF 400V
 - 100uF 50V
 - 20uF 500V
 - 33uF 500V
 - 1N4007
 - qty 58
 - 69K 1W
 - 1M 1W
 - 100K 1W
 - 820 1W
 - 1.5K 1W
 - 470K 1W
 - 4.7K 1W
 - 33K 1W
 - 8.2K 1W
 - 100 1W
 - 100 1W
 - 1.5K 3W
 - 3.3K 3W
 - 22K 3W
 - 62K 1W
 - DPDT 12V
 - SPST
 - SPDT
 - SPDT
 - qty 4
 - qty 9
 - 500K Log
 - 50K Lin
 - 250K Lin
 - 50K Lin
 - 1M Log